



DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION

**MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION**

11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/pera

NOTICE OF ACCEPTANCE (NOA)

Florida Metal Products Inc.
P.O. Box 6310
Jacksonville, FL. 32236

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Flamco 811 Off Ridge Vent

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5.

The submitted documentation was reviewed by Alex Tigera.



NOA No: 11-0928.01
Expiration Date: 04/12/17
Approval Date: 04/12/12
Page 1 of 5

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Ventilation
Materials: Steel

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
VENT4R811	H = 4-3/4" W = 23-1/2" L = 48" Thickness: 26 ga.	TAS 100	G-90 Corrosion resistant steel low profile shingle over attic vent, for use on shingle roof systems.
VENT6R811	H = 4-3/4" W = 23-1/2" L = 72" Thickness: 26 ga.	TAS 100	G-90 Corrosion resistant steel low profile shingle over attic vent, for use on shingle roof systems.
VENT8R811	H = 4-3/4" W = 23-1/2" L = 96" Thickness: 26 ga.	TAS 100	G-90 Corrosion resistant steel low profile shingle over attic vent, for use on shingle roof systems.
VENT10R811	H = 4-3/4" W = 23-1/2" L = 120" Thickness: 26 ga.	TAS 100	G-90 Corrosion resistant steel low profile shingle over attic vent, for use on shingle roof systems.

MANUFACTURING LOCATION:

1. Jacksonville, FL.

EVIDENCE SUBMITTED:

<u>Test Agency/Identifier</u>	<u>Name</u>	<u>Report</u>	<u>Date</u>
Fenestration Testing Laboratory Inc.	TAS 100A(95)	11-3100	09/19/11



NOA No: 11-0928.01
Expiration Date: 04/12/17
Approval Date: 04/12/12
Page 2 of 5

APPROVED APPLICATIONS:

Slot: At chosen location starting 12" down from the ridge cut a hole through shingles and sheathing boards. Cut out shall be 7" wide, and length shall be 46" for the 4' model, 66" for the 6' model, 90" for the 8' model, or 114" for the 10' model. Remove roofing nails from top row of shingles so the flashing of the roof vent will slide under shingles. Carefully roll back the shingles along the top and sides of the cut out. Apply a 1/4" thick bed of roof cement around the sides and bottom of the cut out.

Installation: Carefully slide upper half of base of vent under previously rolled back shingles with non-louvered, slant back facing the peak of roof until base is centered over cutout. Nail the FLAMCO 811 Off-Ridge Vent in place using 1 1/4" galvanized ring shank roofing nails spaced 8" o.c., with the nail 1 1/2" from the flange edge. Seal the top and sides of the nailed flange with roof cement and then roll back the shingles over the top and sides of the sealed flange. All exposed nail heads and interfaces between the vents flange and the prepared roof covering shall be sealed with roof cement.

Net Free Area: Refer to manufacturers published literature

Minimum Slope: 2:12

LIMITATIONS:


1. Refer to applicable Building Code for required ventilation.
2. FLAMCO 811 Off-Ridge Vents shall be installed to comply with applicable building codes and shall be installed over composition shingles roofs only.
3. FLAMCO 811 Off-Ridge Vents shall not be installed on roof mean heights greater than 33 feet.
4. FLAMCO 811 Off-Ridge Vents shall comply with 1517.6 of the Florida Building Code (FBC)




NOA No: 11-0928.01
Expiration Date: 04/12/17
Approval Date: 04/12/12
Page 3 of 5

DETAIL DRAWINGS

**FLAMCO Off-Ridge Vent
Side View Drawing**




**FLAMCO Off-Ridge Vent
Top view Drawing**



NOA No: 11-0928.01
Expiration Date: 04/12/17
Approval Date: 04/12/12
Page 4 of 5

**FLAMCO Off-Ridge Vent
Isometric view Drawing**



END OF THIS ACCEPTANCE



**NOA No: 11-0928.01
Expiration Date: 04/12/17
Approval Date: 04/12/12
Page 5 of 5**